

# SAFETY DATA SHEET

According to Regulation EC No.1907/2006 (REACH) with its amendment  
Regulation (EU) 2020/878



SDS Form No: GM.037

Date of Issue: 28.12.2022

Date of Revision:-  
Version:00-01

## ExperPrime AP 33

### 1. IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier:

Product Name	ExperPrime AS 30
--------------	------------------

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: Acrylic based, single component, primer for plaster applications- For professional and consumer users.

#### 1.3 Details of the supplier of the safety data sheet:

Company:	GÜVEN MADENCİLİK İNŞ. ve TİC. AŞ.
Address:	Ege Perla B Kule Kat:23 No:231/232 Konak İZMİR
Telephone:	+90 (232) 422 03 93
Related person for SDS e- mail address	Abdurrahman SAL <a href="mailto:asal@okkagroup.com.tr">asal@okkagroup.com.tr</a>

#### 1.4 Emergency telephone number:

Emergency Phone:	+90 (232) 422 03 93
------------------	---------------------

### 2. HAZARD IDENTIFICATION

#### 2.1. Classification of the substance or mixture

<b>Classification According to Regulation (EC) No 1272/2008 (CLP/GHS)</b>
This product has not been classified as hazardous by CLP criteria

#### 2.2. Label elements

<b>Labelling According to Regulation (EC) No 1272/2008 (CLP/GHS)</b>
This product has not been labeled as hazardous by CLP criteria

#### Supplemental Hazard statement Code(s):

EUH208: Contains (Mixture of 5-Chloro-2-methyl-4-isothiazolin-3-one[EC no. 247-500-7] and 2-Methyl-2H -isothiazol-3-one [EC no. 220-239-6](3:1)). May produce an allergic reaction.

**2.3 Other hazards:** This mixture does not contain any PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XVIII.

# SAFETY DATA SHEET

According to Regulation EC No.1907/2006 (REACH) with its amendment  
Regulation (EU) 2020/878



SDS Form No: GM.037

Date of Issue: 28.12.2022

Date of Revision:-  
Version:00-01

## ExperPrime AP 33

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not application.

#### 3.2 Mixture

Components			
Chemical Name	Product Identifier	Content (%)	Classification (CLP) (No1272/2008)
Limestone (substance with a Community workplace exposure limit)	Cas No: 1317-65-3 EC No: 215-279-6	≤20	-
Ethane-1,2-diol	Cas No: 107-21-1 EC No:203-473-3	<1	Acute Tox. 4, H302 STOT RE 2, H373
Mixture of 5-Chloro-2-methyl-4-isothiazolin-3-one[EC no. 247-500-7] and 2-Methyl-2H -isothiazol-3-one [EC no. 220-239-6](3:1)	Cas No: 55965-84-9	<0,001	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) Skin Sens. 1A, H317 EUH071 <u>Specific Concentration Limits</u> Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 %

H and EUH phrases full text of: see section 16

### 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures


**General Advice:** If you feel unwell, seek medical advice (show the label or this SDS where possible).

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

**Skin contact:** Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get medical attention if symptoms occur.

**Eye contact:** Rinse cautiously with water for several minutes. Get medical attention if symptoms occur.

**Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Get medical attention if symptoms occur.

<p style="text-align: center;"><b>SAFETY DATA SHEET</b></p> <p style="text-align: center;">According to Regulation EC No.1907/2006 (REACH) with its amendment Regulation (EU) 2020/878</p>		
SDS Form No: GM.037	Date of Issue: 28.12.2022	Date of Revision:- Version:00-01
<b>ExperPrime AP 33</b>		

#### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor:** Treat symptomatically.

### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

**Suitable Extinguishing Media:** The product is non-flammable. Use suitable extinguishing agent for surrounding material and type of fire.

**Extinguishing media which must not be used for safety reasons:** No information available.

#### 5.2 Special hazards arising from the product

**Special hazards:** Thermal decomposition can lead to release of irritating gases and vapors.

#### 5.3 Advice for firefighters

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Advice for firefighters:** No special measures required. Use methods suitable to surrounding conditions. Collect contaminated fire fighting water separately. It must not enter the sewage system. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment as specified in Section 8. Ensure good ventilation. Avoid contact with skin and eyes. In case of contact with skin and / or eyes wash with plenty of water. Avoid breathing the vapours/dusts. Remove your contaminated clothing and wash it before using it again. Carry out emergency procedures.

#### 6.2 Environmental precautions

Avoid release to the environment.

#### 6.3 Methods and material for containment and cleaning up

Ventilate the environment. Avoid breathing the vapours. Wear protective clothing as shown in Section 8 of this Safety Data Sheet. Stop leakage if the environment is safe. Absorb spillage with sand, soil, vermiculite or suitable commercial sorbents. Flush the spill area with water. Dispose of collected material or wastes according to local regulations. Dispose of the wastes according to Article 13.

#### 6.4 Reference to other sections

Wear protective clothing as shown in Section 8 of this Safety Data Sheet. See section 7 for safe handling. See section 13 for disposal of wastes.

# SAFETY DATA SHEET

According to Regulation EC No.1907/2006 (REACH) with its amendment  
Regulation (EU) 2020/878



SDS Form No: GM.037

Date of Issue: 28.12.2022

Date of Revision:-  
Version:00-01

## ExperPrime AP 33

### 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Ensure adequate ventilation. Work with industrial hygiene standards and common rules to prevent inhalation, ingestion, exposure to the skin and eyes during use of chemicals. Remove contaminated clothing and wash before using again. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. All packages should be handled with care and when not in use; should be kept tightly closed. Follow the instructions for use specified by the supplier. Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing. Follow the instructions for use specified by the supplier. Keep out of reach of children.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage measures:** Keep container tightly closed in a dry and well-ventilated place. Protect it from direct sunlight. Keep the product in its original packaging. Opened packages should be protected by tightly sealing the mouths. Protect containers from physical damage. Follow the supplier's storage instructions on the label. Keep out of reach of children.

#### 7.3 Specific end use(s)

**Specific end use(s):** No additional information available.

### 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

#### 8.1. Control parameters

##### Ingredients with limit values that require monitoring at the workplace

(Cas No: 1317-65-3)-Limestone

- United Kingdom-Occupational Exposure Limits  
WEL TWA (OEL TWA): 10 mg/m<sup>3</sup> total inhalable  
4 mg/m<sup>3</sup> respirable  
Regulatory reference:EH40/2005 (Fourth edition, 2020). HSE

#### 8.2. Exposure controls

**8.2.1 Appropriate engineering controls:** Ensure good ventilation of the work station.

##### 8.2.2 Personal protective equipment

**Eye/face protection:** Use safety goggles that have been tested and approved in accordance with standards such as NIOSH (US) or EN 166 (EU).

**Protection of hands:** Use chemical-resistant protective gloves complying with EN 374.

**Other skin protection:** Wear suitable protective clothing to prevent skin exposure.

**General protective and hygiene measures:** The usual precautionary measures are to be adhered to when handling chemicals. Do not breath vapours. Avoid contact with skin, eyes and contaminated clothing. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before use. Wash hands before breaks and after work. Ensure that eyewash stations and emergency showers are close to where the work area is located.

# SAFETY DATA SHEET

According to Regulation EC No.1907/2006 (REACH) with its amendment  
Regulation (EU) 2020/878



SDS Form No: GM.037

Date of Issue: 28.12.2022

Date of Revision:-  
Version:00-01

## ExperPrime AP 33

**Respiratory protection:** In cases where the ventilation is insufficient and the exceeding limit values; Respiratory protection tested and approved according to relevant official standards such as NIOSH (USA) or CEN (EU) should be worn. No protective equipment is needed under normal use conditions.

### 8.2.3 Control of environmental exposure

Avoid release to the environment.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b> <i>Physical state</i> <i>Colour</i>	Liquid White
<b>Odour</b>	Odourless
<b>Solubility</b>	No data available.
<b>Initial boiling point and boiling range</b>	No data available.
<b>Melting point</b>	No data available.
<b>Ph value</b>	≥8
<b>Flash point</b>	No data available.
<b>Auto-ignition temperature</b>	No data available.
<b>Upper/lower flammability or explosive limits</b>	No data available.
<b>Flammability</b>	No data available.
<b>Bulk density</b>	No data available.
<b>Relative density</b>	1,05 gr/cm <sup>3</sup>
<b>Vapour pressure</b>	No data available
<b>Specific gravity</b>	No data available.
<b>Viscosity</b>	5000-7000 mPa.s
<b>Partition coefficient (n-octanol/water)</b>	No data available.
<b>Oxidising properties:</b>	No data available.
<b>Explosive Properties:</b>	No data available.
<b>Particle characteristics</b>	No data available.

### 9.2 Other informations

No data available.

# SAFETY DATA SHEET

According to Regulation EC No.1907/2006 (REACH) with its amendment  
Regulation (EU) 2020/878



SDS Form No: GM.037

Date of Issue: 28.12.2022

Date of Revision:-  
Version:00-01

## ExperPrime AP 33

### 10. STABILITY AND REACTIVITY

#### 10.1.Reactivity

No data available.

#### 10.2.Chemical stability

Stable under normal conditions.

#### 10.3.Possibility of hazardous reactions

No dangerous reactions known.

#### 10.4.Conditions to avoid

No data available.

#### 10.5.Incompatible materials

No data available.

#### 10.6.Hazardous decomposition products

None under normal use conditions.

### 11. TOXICOLOGICAL INFORMATION

#### 11.1.Information on toxicological effects

**Acute toxicity:** Based on available data, the classification criteria are not met.

**ATE<sub>MIX</sub>** oral LD 50: >2000 mg/kg (calculation method)

**ATE<sub>MIX</sub>** dermal LD 50: >2000 mg/kg (calculation method)

**ATE<sub>MIX</sub>** inhalation LC 50: >20 mg/l (calculation method)

(Cas No: 107-21-1)- Ethane-1,2-diol

LD50 oral:500,1 mg/kg

LD50 dermal: >3500 mg/kg (mouse) (ECHA)

LC50 inhalation:<2,5 mg/l- aerosol (ECHA)

(Cas No:55965-84-9) Mixture of 5-Chloro-2-methyl-4-isothiazolin-3-one and 2-Methyl-2H - isothiazol-3-one (3:1)

LD50 Oral - Rat - male and female - 66 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - 0,171 mg/l – aerosol(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male - 87,12 mg/kg Remarks: (ECHA)

**Skin corrosion/irritation:** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation:** Based on available data, the classification criteria are not met.

**Respiratory/Skin Sensitization:** Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

According to Regulation EC No.1907/2006 (REACH) with its amendment  
Regulation (EU) 2020/878



SDS Form No: GM.037

Date of Issue: 28.12.2022

Date of Revision:-  
Version:00-01

## ExperPrime AP 33

**Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

**Carcinogenicity:** Based on available data, the classification criteria are not met.

**Reproductive toxicity:** Based on available data, the classification criteria are not met.

**STOT (single exposure):** Based on available data, the classification criteria are not met.

**STOT (repeated exposure):** Based on available data, the classification criteria are not met.

**Aspiration hazard:** Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

**Endocrine disrupting properties:** No data available.

## 12. ECOLOGICAL INFORMATION

**Aquatic toxicity:** Not classified as harmful to aquatic life.

### 12.1. Toxicity

CAS: 1317-65-3 Limestone

LC50 (96h): >100 mg/l (Rainbow trout - oncorhynchus mykiss) (OECD 203)

LC50 (48h): >100 mg/l (Water flea - daphnia magna) (OECD 202)

EC50 : >14 mg/l (Algae - desmodesmus subspicatus) (OECD 201)

: >1000 mg/l (Activated sewage sludge) (OECD 209)

(Cas No:55965-84-9) Mixture of 5-Chloro-2-methyl-4-isothiazolin-3-one and 2-Methyl-2H - isothiazol-3-one (3:1)

EC<sub>50</sub> / 72 h 0,048 mg/l (Pseudokirchneriella subcapitata) (OECD 201) S 1322

EC<sub>50</sub> / 48 h 0,1 mg/l (Daphnia magna) (OECD 202) S 52

0,0052 mg/l (Skeletonema costatum) (DIN EN ISO 10253) CAR

LC<sub>50</sub> / 96 h 0,22 mg/l (Onchorhyncus mykiss) (OECD 203) S 6

NOEC / 48 h 0,00064 mg/l (Skeletonema costatum) (DIN EN ISO 10253)

NOEC / 21 d 0,004 mg/l (Daphnia magna) (OECD 211) S 52

NOEC / 28 d 0,098 mg/l (Onchorhyncus mykiss) (OECD 210) S 117

NOEC / 72 h 0,0012 mg/l (Pseudokirchneriella subcapitata) (OECD 201) S 1322

**Toxicity to organisms in activated sludge:**

(Cas No:55965-84-9) Mixture of 5-Chloro-2-methyl-4-isothiazolin-3-one and 2-Methyl-2H - isothiazol-3-one (3:1)

EC<sub>50</sub> / 3 h 7,92 mg/l (activated sludge) (OECD 209)

EC<sub>20</sub> / 3 h 0,97 mg/l (activated sludge) (OECD 209)

### 12.2. Persistence and degradability

No data available.



# SAFETY DATA SHEET

According to Regulation EC No.1907/2006 (REACH) with its amendment  
Regulation (EU) 2020/878



SDS Form No: GM.037

Date of Issue: 28.12.2022

Date of Revision:-  
Version:00-01

## ExperPrime AP 33

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Result of PBT and vPvB assessment

This mixture does not contain any PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XVIII.

### 12.6. Endocrine disrupting properties

None of the ingredients/components is listed at ECHA's endocrine disrupter (ED) assessment list.

### 12.7. Other adverse effects

No data available.

## 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**General Information:** Dispose of in accordance with local regulations for waste.

**Disposal of the substance / mixture:** The product or waste must be disposed of in a safe manner and in accordance with local regulations for waste. The spilled product must be disposed of in accordance with applicable national and local environmental laws and regulations. Do not allow mixture and / or wastes to enter the environment, plant cover, soil, clean water sources, and sewage.

**Uncleaned Container Disposal Methods:** Containers of uncleaned material must be disposed of in the same manner as the product is disposed of in accordance with the regulations.

## 14. TRANSPORT INFORMATION

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN Number:

Not applicable

### 14.2. UN proper shipping name:

Not applicable

### 14.3. Transport hazard class(es):

Not applicable

### 14.4. Packing Group:

Not applicable



# SAFETY DATA SHEET

According to Regulation EC No.1907/2006 (REACH) with its amendment  
Regulation (EU) 2020/878



SDS Form No: GM.037

Date of Issue: 28.12.2022

Date of Revision:-  
Version:00-01

## ExperPrime AP 33

### 14.5.Environmental hazards:

Not applicable.

### 14.6.Special precautions for user:

Not applicable.

### 14.7.Transport in bulk according to Annex II of MARPOL and the IBC Code:

Not applicable.

## 15. REGULATORY INFORMATION

### 15.1.Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)
  - CLP (classification, labelling and packaging) Regulation (EC) 1272/2008
  - Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)
- **Regulation (EC) No 1907/2006 Annex XVII:** Contains no REACH substances with Annex XVII restrictions.
- **REACH Annex XIV (Authorisation List):** Contains no REACH Annex XIV substances.
- **REACH Candidate List (SVHC):** Contains no substance on the REACH candidate list.

### 15.2 Chemical safety assessment: Chemical Safety Assessment has not been carried out.

## 16. OTHER INFORMATION

- **Hazard Statements (CLP)**
- H301: Toxic if swallowed.
- H302: Harmful if swallowed
- H310: Fatal in contact with skin.
- H314: Causes severe skin burns and eye damage.
- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H318: Causes serious eye damage.
- H319: Causes serious eye irritation.
- H330: Fatal if inhaled.
- H332: Harmful if inhaled.

# SAFETY DATA SHEET

According to Regulation EC No.1907/2006 (REACH) with its amendment  
Regulation (EU) 2020/878



SDS Form No: GM.037

Date of Issue: 28.12.2022

Date of Revision:-  
Version:00-01

## ExperPrime AP 33

H373: May cause damage to organs through prolonged or repeated exposure exposure cause the hazard.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects

EUH071: Corrosive to the respiratory tract.

### - Abbreviations

**ADR:** European Agreement concerning the International Carriage of Dangerous Goods by Road

**ADNR:** European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

**CAS No:** Chemical Abstract Service

**CLP:** Classification Labelling and Packaging

**CL50/LC50:** Lethal Concentration 50

**DL50/LD50:** Lethal Dose 50

**GHS:** Global Harmonised System

**EC No:** European Inventory of Existing Commercial

**IATA /ICAO:** International Air Transport Association/ International Civil Aviation Organization

**IMDG:** International Maritime Code for Dangerous Goods

**NIOSH:** National Institute for Occupational Safety and Health

**OEL:** Occupational Exposure Limit

**RID:** Regulations Concerning the International Transport of Dangerous Goods by Rail

**TLV-STEL:** Threshold Limit Value-Short Term Exposure Limit

**TWA:** Threshold Limit Value Time Weighted


**PBT:** Persistent Bioaccumulating and Toxic

**STOT:** Target Organ Systemic Toxicity

**SDS:** Safety Data Sheet

**SVCH:** Substance of Very High Concern

**vPvB:** Very Persistent and very Bioaccumulating

<b>SAFETY DATA SHEET</b> According to Regulation EC No.1907/2006 (REACH) with its amendment Regulation (EU) 2020/878		
SDS Form No: GM.037	Date of Issue: 28.12.2022	Date of Revision:- Version:00-01
<b>ExperPrime AP 33</b>		

- **Issued Note:**

This SDS is prepared based on the information and documents received from product owner. BESChem Mühendislik&Danışmanlık-Sibel Gümüşdere shall not be responsible for incorrect prepared of SDS and pecuniary loss or intangible damages because of deficient or wrong information and documents which comes from product owner.

**Disclaimer-** This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

- **Revision Explanations**

**SDS No :** GM.037

**Date of Issue:** 28.12.2022

**Date of Revision:** -

**Version:** 00-01

**Organized by:** Sibel Gümüşdere (License No: TÜV 11.117.06)